

AERIAL TB CONTROL OPERATION TARAMAKAU 2016

OSPRI'S TBfree PROGRAMME

OSPRI's TBfree programme aims to manage and eventually eradicate bovine tuberculosis (TB) from New Zealand's farmed cattle and deer and wild animal populations. Controlling the disease prevents livestock production losses and protects the world leading reputation of New Zealand's dairy, beef and deer products. To achieve this objective, OSPRI uses possum control, along with regular herd testing and movement restrictions.

Information gathered from wild animal surveys, recent and historic findings of TB in wild animals, herd testing results and the pest control history of the region is used when planning operations.




TARGETING POSSUMS

We're running a possum control operation in the Taramakau area that will cover approximately 7,664 hectares.

To eradicate bovine TB, possum numbers need to be kept extremely low – around one to two animals every 10 hectares.

HOW WE CONTROL TB



Monitoring has shown that control work is needed in the Taramakau area to reduce the possum population and minimise the risk of the disease spreading through wild animal populations and onto

farmed cattle and deer. Possum control has dramatically reduced the number of infected herds in the West Coast region. This area has not received pest control from OSPRI before.



WHAT TO EXPECT FROM THE OPERATION

The operation will begin with the distribution of non-toxic, tan-coloured cereal pellets by helicopter. This 'pre-feed' gives possums a taste for the pellets and overcomes bait shyness. One to two weeks later (weather permitting), toxic, green cereal pellets – each containing 0.15% biodegradable

sodium fluoroacetate (also known as 1080) – will be applied by helicopter at a rate of two kilograms per hectare. That's about one bait to every 60 square metres.

The Taramakau operation will be subject to strict safety, quality-assurance and monitoring requirements. Advanced GPS navigational equipment will be used to ensure the pellets are accurately placed and identified exclusion zones are avoided.

THE METHOD

The vast majority of possum control in the region is done by local contractors using ground-based traps and hand-laid toxins. The remaining, far smaller area, is controlled using aerially applied pellets containing biodegradable 1080.

Aerial control is highly-efficient, cost-effective and has been extremely successful at knocking possum numbers down to the very low levels needed to eradicate TB from wildlife and declare areas free of TB. It is preferred in areas like Taramakau due to the rugged nature of the terrain.

The Parliamentary Commissioner for the Environment supports aerial control. The Commissioner completed an extensive review into the use of 1080, in which she strongly endorsed its continued use in New Zealand.


Please visit pce.parliament.nz to read this report.



Toxic baits



Pre-feed pellets



Proposed Taramakau Valley Aerial (7,664 ha)

Boundaries are indicative only and may change after consultation

WHAT HAPPENS NOW

This operation is planned to begin in May 2016. A contractor will be doing the work on behalf of OSPRI's TBfree programme.

Before the operation, affected landowners and occupiers will be contacted and visited by a contractor representative. They will discuss boundary issues, water supply safety and the management of any risks to dogs and livestock. Consents from the West Coast Regional Council, the Department of Conservation and the Ministry of Health are required

for this operation. Affected landowners and occupiers will be contacted again before the operation starts, notices will be published in local newspapers and warning signs will be placed at all likely access points to the operational area.

BIODIVERSITY BENEFITS

The Taramakau Valley contains a diverse range of native forest types, including southern rata and totara, as well as tree fuchsia. This ecosystem and the native animals that live in it are at risk from pests such as possums, mustelids and rats.

Species such as roroa (great spotted kiwi), South Island kaka, kakariki and kereru will benefit from reduced predator numbers, and it is hoped they will establish secure sustainable populations in the project area.



IMPORTANT INFORMATION

Warning signs will be placed at all main access points to the operational area and everyone must follow the cautions on the signs. There's no health risk when using this area as long as you follow these instructions:

Do not handle any bait or allow children to wander unsupervised. Cereal baits containing 1080 are dyed green.


Do not hunt or take game from within a two kilometre radius of the operational area for human or pet consumption. It's an offence to sell meat products

that have been exposed to 1080. Hunting can resume approximately four months following the control work.

Please observe these rules whenever you see warning signs about the pesticide. Warning signs indicate that pesticide residues may still be present in baits or animals. When the signs are officially removed, you can resume normal activities in the area. Free dog muzzles will be provided on request. Please contact OSPRI's Greymouth office on 03 769 9098 to obtain a muzzle.



Do not bring dogs into the area until the warning signs have been officially removed. Dogs are particularly susceptible to 1080. They must not be allowed access to bait or poisoned carcasses which remain toxic to dogs until they have fully decomposed. If you have concerns about your dog, please contact the contractor.



THERE IS NO RISK TO PUBLIC DRINKING WATER

Biodegradable 1080 is highly soluble and does not persist in water or soil. Local health authorities apply strict conditions to aerial operations so that drinking water supplies are not contaminated. Safety has been confirmed by tests on several thousand water samples taken after aerial 1080 operations over many years.



WHAT TO DO IF YOU SUSPECT POISONING

Contact your local hospital or doctor, or dial 111

National Poisons Centre
0800 POISON (764 766)

If a domestic animal is poisoned, contact a local veterinarian.



FURTHER INFORMATION

OSPRI

388 Main South Road
Paroa

Greymouth

P 03 769 9098

E vectornsi@ospri.co.nz
tbfree.co.nz | ospri.co.nz

Contractor

Vertebrate Pest Management
Operations Manager

P 0800 888 308

E vpestmanagement@gmail.com

For more information on controlling bovine TB and why 1080 is used in New Zealand, visit 1080facts.co.nz